**KCA Laboratories** 232 North Plaza Drive

Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## thcv

Sample ID: SA-230404-19768 Batch: pr7-tv9.031523 Type: Finished Products Matrix: Concentrate - Distillate

Unit Mass (g):

Collected: 03/21/2023 Received: 03/23/2023 Completed: 03/28/2023 Client

MC Nutraceuticals 6101 Long Prairie Rd, Ste 144 LB 17 Flower Mound, TX 75028

USA



1 of 1



Summary

Test Cannabinoids

**Date Tested** 03/28/2023

Status Tested

ND

Total Δ9-THC

94.5%

 $\Delta 9$ -THCV

97.4%

Total Cannabinoids

**Not Tested** 

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	0.205	2.06
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
∆8-ТНС	0.0104	0.0312	ND	ND
∆8-THCV	0.0067	0.02	2.78	27.8
∆9-THC	0.0076	0.0227	ND	ND
∆9-THCV	0.0069	0.0206	94.5	945
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			97.4	974

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; \( \Delta = Delta; \) Total \( \Delta \)-THC = \( \D

Generated By: Ryan Bellone CCO Date: 04/04/2023

Tested By: Scott Caudill Senior Scientist Date: 03/28/2023





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.